

Printing date 18.05.2022 Version number 1.0 Revision: 18.05.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
 - · Trade name: Avadex® Excel 15G
 - · Article number: UK3
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
 - · Sector of Use Agriculture
 - · Application of the substance / the mixture Agricultural Herbicide
- · 1.3 Details of the supplier of the safety data sheet
 - · Manufacturer/Supplier:

Gowan Crop Protection Limited

Highlands House Basingstoke Road

Spencers Wood

Reading

Berkshire

England

RG7 1NT

Tel +44 0 1582 280390

- · Further information obtainable from: sds@gowanco.com
- · 1.4 Emergency telephone number:

Chemtrec Emergency Telephone 24 - Hours: (London) +44 870 820 0418 Outside london: +1 703 527-3887

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - · Classification according to Regulation (EC) No 1272/2008



health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
 - · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS08

GHS09

· Signal word Warning

(Contd. on page 2)

Printing date 18.05.2022 Version number 1.0 Revision: 18.05.2022

Trade name: Avadex® Excel 15G

(Contd. of page 1)

· Hazard statements

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P314 Get medical advice/attention if you feel unwell.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

EUH208 Contains tri-allate (ISO). May produce an allergic reaction.

EUH401 To avoid risk to human health and the environment, comply with instructions for use.

SP1 Do not contaminate water with the product or its container.

Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
 - · **PBT:** Not applicable.
 - · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 2303-17-5	Triallate (ISO) / diisopropylthiocarbamate de S-2,3,3-tri-chloroallyle	>10-<25%
EINECS: 218-962-7	♦ STOT RE 2, H373; ♦ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ♦ Acute Tox. 4, H302; Skin Sens. 1, H317	
Index number: 006-039-00-X	1, H410; 🔨 Acute Tox. 4, H302; Skin Sens. 1, H317	
CAS: 64742-94-5	Solvent naphtha (petroleum), heavy arom.	>2.5- ≤ 10%
EINECS: 265-198-5	♦ Asp. Tox. 1, H304; ♦ Aquatic Chronic 2, H411; ♦ STOT SE 3,	
Index number: 649-424-00-3	H336	

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

GB

Printing date 18.05.2022 Version number 1.0 Revision: 18.05.2022

Trade name: Avadex® Excel 15G

(Contd. of page 2)

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

· 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Product may decompose in a fire to release toxic fumes.

5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Mouth respiratory protective device.

Wear chemical-resistant protective clothing and self-contained breathing apparatus.

· Additional information

Prevent run-off water contaminating drains or watercourses (bund if necessary); inform appropriate authority immediately if this happens.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Ensure adequate ventilation (see Section 8 if this is not possible). Avoid contamination with chemical; wear personal protective equipment (see Section 8). Keep people and animals away.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Ensure appropriate measures (eg engineering controls and/or personal protective equipment) are in place to minimise exposure – see Section 8. Avoid contact with skin or eyes. Avoid inhaling dust.

· Information about fire - and explosion protection:

Keep respiratory protective device available.

Product is non-combustible but packaging is combustible.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Store this product away from food or feed.
 - Further information about storage conditions:

Store in a secure, cool, dry, designated area in original packaging, in accordance with any label storage advice. Keep children and public away. Rotate stock and check regularly for damage.

(Contd. on page 4)

Trade name: Avadex® Excel 15G

· 7.3 Specific end use(s) No further relevant information available.

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
 - Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
 - · Appropriate engineering controls No further data; see item 7.
 - · Individual protection measures, such as personal protective equipment
 - · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

Wear goggles with side pieces.

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
 - · General Information
 - Physical state Solid

(Contd. on page 5)

 Printing date 18.05.2022
 Version number 1.0
 Revision: 18.05.2022

Trade name: Avadex® Excel 15G

	(Contd. of page
· Colour:	Tan-purple
· Odour:	Characteristic
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	Undetermined.
· Flammability	Not determined.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
Decomposition temperature:	Not determined.
· pH at 20 °C	7.17
Viscosity:	
· Kinematic viscosity	Not applicable.
· Dynamic:	Not applicable.
· Solubility	F F · · · · · · · · ·
· water:	Dispersible.
Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not applicable.
Density and/or relative density	That application.
Density at 20 °C:	$0.87 g/cm^3$
Relative density	Not determined.
· Vapour density	Not applicable.
	Tot applicable.
0.2 Other information · Appearance:	
· Form:	Solid
	Sona
Important information on protection of health and	
environment, and on safety.	Duaduat is not salfianiting
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
· Change in condition	N-41:1:1-
· Evaporation rate	Not applicable.
Information with regard to physical hazard classes	17 - 1
Explosives	Void
· Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable	
gases in contact with water	Void
	Void
Oxidising tiquias	
· Oxidising liquids · Oxidising solids	Void
· Oxidising ilquids · Oxidising solids · Organic peroxides	Void Void

Printing date 18.05.2022 Version number 1.0 Revision: 18.05.2022

Trade name: Avadex® Excel 15G

(Contd. of page 5)

· Desensitised explosives

Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability Stable under normal conditions
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
 - · Acute toxicity

· LD/LC50 values rela	evant for classification:
-----------------------	---------------------------

Oral	LD50	12,000 mg/kg (rat)
	LD50	>20,000 mg/kg (rabbit)
Inhalative	LC50/4 h	5.3 mg/l (rat)

· Skin corrosion/irritation

Low acute toxicity: rabbit dermal LD50 > 20,000 mg/kg. May cause sensitisation. In modified Draize test, mean EU scores for redness 1.25, swelling 0.25.

· Serious eve damage/irritation

Unlikely to cause irritation. In OECD 405 test, mean EU scores for conjunctival redness 1.11, conjunctival swelling 0.28, corneal opacity 0, iris lesions 0 (3 days to heal)†.

- · STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.
- · Additional toxicological information:

Sub-chronic toxicity: Harmful: danger of serious damage to health by prolonged exposure if swallowed.

Chronic toxicity: The ingredients of this preparation are not classified by their suppliers as carcinogenic, mutagenic or toxic for reproduction under EU rules.

- · 11.2 Information on other hazards
 - · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
 - Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability

May cause long-term adverse effects to the aquatic environment. For triallate, half lives are 2-3 days (water/sediment) and 35-61 days (soil, aerobic); not readily degradable, <1% degradation within 28 days in manometric respirometry test.

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil Triallate adsorbs strongly to soil and is not expected to leach to groundwater.
- · 12.5 Results of PBT and vPvB assessment
 - · **PBT:** Not applicable.

(Contd. on page 7)

Printing date 18.05.2022 Version number 1.0 Revision: 18.05.2022

Trade name: Avadex® Excel 15G

(Contd. of page 6)

· vPvB: Not applicable.

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

· Remark:

Very toxic for fish Toxic for fish

Avarian toxicity: For Triallate, bobwhite quail oral LD50 2,251 mg/kg. Toxicity to honey bees: For triallate, oral/contact 48 hr. LD50 >100 µg/bee. Toxicity to earthworms: For triallate, 14 day LC50 549 mg/kg dry soil.

· Additional ecological information:

· General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms Toxic for aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
 - · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
 - · Recommendation: Disposal must be made according to official regulations.
 - **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN3077
· 14.2 UN proper shipping name	
$\cdot ADR$	3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
	SOLID, N.O.S. (Triallate (ISO) / diisopropylthiocarbamate
	de S-2,3,3-tri-chloroallyle)
· IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
	SOLID, N.O.S. (Triallate (ISO) / diisopropylthiocarbamate
	de S-2,3,3-tri-chloroallyle), MARINE POLLUTANT
· IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
	SOLID, N.O.S. (Triallate (ISO) / diisopropylthiocarbamate
	de S-2,3,3-tri-chloroallyle)

- · 14.3 Transport hazard class(es)
 - · ADR, IMDG, IATA



· Class 9 Miscellaneous dangerous substances and articles.

(Contd. on page 8)

Printing date 18.05.2022 Version number 1.0 Revision: 18.05.2022

Trade name: Avadex® Excel 15G

	(Contd. of page
· Label	9
· 14.4 Packing group · ADR, IMDG, IATA	III
	Product contains environmentally hazardous substance Triallate (ISO) / diisopropylthiocarbamate de S-2,3,. tri-chloroallyle
· Marine pollutant:	Yes Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
· Special marking (IATA):	Symbol (fish and tree)
· 14.6 Special precautions for user Hazard identification number (Kemler code): · EMS Number:	Warning: Miscellaneous dangerous substances and articles 90 F-A,S-F
· Stowage Category	A
Stowage Code	SW23 When transported in BK3 bulk container, s 7.6.2.12 and 7.7.3.9.
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5 kg
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 g
7	Maximum net quantity per outer packaging: 1000 g
· Transport category · Tunnel restriction code	3 E
	<u>.</u>
· IMDG · Limited quantities (LQ)	5 kg
Excepted quantities (EQ)	Code: E1
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (TRIALLATE (ISO)

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 9)

Printing date 18.05.2022 Version number 1.0 Revision: 18.05.2022

Trade name: Avadex® Excel 15G

(Contd. of page 8)

· Relevant phrases

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

· Department issuing SDS: Supply Chain

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* Data compared to the previous version altered.

GB ·